



MICHAEL J. BROWN, M.D., P.L.L.C.

Aesthetic Cosmetic Plastic Surgery

Medication List

Section 1: The following drugs either contain aspirin and /or have undesirable side effects that may affect your surgery (abnormal bleeding and bruising). These drugs should be avoided for two weeks prior to surgery. This is not every medication known to cause problems, please inform us of any medications that you are currently taking. If you need to take something for relief of minor pain, you may take Tylenol.

Advil Aleve	Celebrex	Goodys	Nardil
Alka-Seltzer	Cephalgesic	Headache	Nicobid
Alka Seltzer Plus	Chromium	Herbal Medicines	Norgesic
Amino Acids	Compound 65	& Teas:	Norgesic Forte
Anacin	Clinoril	Echinacea	Nuprin
Anaprox	Congesprin	Ephedra	Omega-3 Fatty
Ansaid	Chewable	Gingko Biloba	Acids X
A.P.C.	Cope Tablets	Ginseng	Orphengesic
Argesic	Coricidin	Green Teas	Orudis
Arthropan liquid	Damason P	Kava Kava	Pabalate-SF
Arthritis Pain	Darvon (all	St. Johnswort	Pamelor
Formula	compounds)	Ibuprofen	Pamprin
Arthritis Strength	Disalcid	Indocin	Parnate
Bufferin	Dolprin	Indomethacin	Pepto-Bismol
A.S.A	Doans	Lortab ASA-	Percodan
A.S.A Enseals	Dolobid	Tablets	Persantine
Ascriptin	Dristan	Magsal Tablets	Persistine
Aspercream	Duradyne	Measurin Tablets	Phentermine
Aspergum	Easprin	Meclomen	Phenylbutazone
Aspirin	Ecotrin	Medipren	Ponstel
Aspirin	Emprin with	Meprobamate	Propoxyphene
Suppositories	codeine	w/Aspirin	Quagesic
Axotal	Endep	Methcarbamol	Relafen
BC Powder	Equagesic	with Aspirin	Robaxisol
Brufen	Tablets	Micrainin	Rufen
Bufferin	Etrafon	Mobidin	Sine-Aid
Buffex	Fiorinal	Midol	Sine-Off w/Aspirin
Buffets 11	Fish Oil	Mobigesic	Sinutab
Buffinol	Flagyl	Momentum	Soma
Buf-Tabs	Flurbiprophen	Backache	Sulindac
Butacolidin	Four Way Cold	Motrin	Supac
Cama Arthritis	Tablets	Nalfron	Synalogs-AC
Pain	Garlic	Naprosyn	Capsules
Carisoprodol	Gelprin	Naproxen	Tagamet

Talwin	Trigesic	Verin	Zorprin
Tenuate	Trilisate	Vioxx	
Tolectin	Uracel	Vitamin C (doses	
Toradol	Ursinus In-Lax	1000mg)	
Trandate	Tablets	Vitamin E	
Trenal	Valerian	Voltaren	
Triaminicin	Vanquish	Zactrin	

Section II: The drugs listed below have undesirable side effects that may affect your anesthesia or surgery. Please let us know if your are currently taking any of these medications:

Achromycin	Imipramine HCL	Sinequan
Adapin	Isocarboxazid	Surmontil
Amitriptyline HCL/MCL	Limnbitrol	Sumycin
Aamoxapine	Ludiomil	Tetracycline
Anafranil	Maprotiline HCL	Tofranil
Asendin	Matulane	Tranlycypromise
Aventyl	Medipren	Triavil
Capbamazepine	Mysteclin F	Tricyclin
Comtrex	Norpramin	Trimipramin
Co-Tylenol	Nortriptyline HCL	Vibramycin
Desipramin HCL	Novahistine	Vivactil
Desyrel	Ornade	Wellbutrin
Dilantin	Perphenaxine	Zoloft
Doxepin HCL	Phenelzine Sulfate	Zomax
Elavil	Procarbazine HCL	Zovirax
Etrafon	Protriptyline HCL	
Flexeril	Prozac	

Section III: The following foods contain salicylates that affect bleeding clotting. They do not need to be omitted completely from your diet, but should be kept to a minimum for two weeks prior to surgery.

Almonds	Grapes	Plums
Apricots	Grapes juice	Prunes
Berries	Jellies, preserves	Raisins
Cherries	Nectarines	Tomatoes
Cucumbers	Oranges	Tomatoes products
Currants	Peaches	Vinegar
Curry	Pickles	Wine